

PRODUCT-DETAILS

416BC6

Ind. P&S#416BC6



General Information

| | |
|-----------------------|---|
| Extended Product Type | 416BC6 |
| Product ID | 2CMA102184R1000 |
| EAN | 7392696021845 |
| Catalog Description | Ind. P&S#416BC6 |
| Long Description | 5x16A / IP 44 - Connector Clock Position Of Grounding Contact 6 hour Color code Red |

Ordering

| | |
|------------------------|---------------|
| EAN | 7392696021845 |
| Country of Origin | Turkey (TR) |
| Minimum Order Quantity | 10 piece |

Dimensions

| | |
|----------------------------|----------|
| Product Net Width | 87 mm |
| Product Net Height | 87 mm |
| Product Net Length | 142 mm |
| Product Net Depth / Length | 142 mm |
| Product Net Weight | 0.234 kg |

Container Information

| | |
|--------------------------------|---------------|
| Package Level 1 Width | 150 mm |
| Package Level 1 Depth / Length | 280 mm |
| Package Level 1 Height | 225 mm |
| Package Level 1 Gross Weight | 2.523 kg |
| Package Level 1 EAN | 7392696036634 |
| Package Level 1 Units | box 10 piece |

Technical UL/CSA

| | |
|----------------------|------|
| Ampere Rating UL/CSA | 16 A |
|----------------------|------|

Certificates and Declarations (Document Number)

| | |
|--------------------------------|-----------------|
| Declaration of Conformity - CE | 2CMC700005D0001 |
| Declaration | 2CMC700005D0001 |
| Environmental Information | 2CMC000072M0000 |
| RoHS Information | 2CMC700005D0001 |
| REACH Declaration | 2CMC700005D0001 |

Additional Information

| | |
|---------------------------------|----------------------------------|
| Additional Information | 3P+N+E |
| Cable Cross-Section | 1 ... 2.5 mm ² |
| Cable Entry Position | Anti-kink sleeve |
| Color | Red |
| Connection Type | Screw Clamp |
| Degree of Protection | IP44 |
| Enclosure Material | Plastic (PA) |
| Frequency (f) | 50 Hz 60 Hz |
| Function | Connector |
| Housing Material | Plastic (PA) |
| Invoice Description | Ind. P&S#416BC6 |
| Material | Plastic |
| Number of Poles | 5 |
| Order Multiple | 10 piece |
| Product Main Type | BC |
| Product Name | Connector |
| Protection Type | Watertight |
| Rated Current (I _n) | 16 A |
| Rated Voltage (U _r) | 200/346 ... 240/415 V |
| Standards | IEC 60309-1, -2 |
| Suitable for Product Class | IEC Industrial Plugs and Sockets |
| Instructions and Manuals | 2CMC700014C0016 |
| RAL Number | RAL 7012 - Basalt Grey |

Classifications

| | |
|--------|----------|
| eClass | 27440509 |
| UNSPSC | 39120000 |

Categories

Low Voltage Products and Systems → Industrial Plugs and Sockets → Basic & Safe

