

PRODUCT-DETAILS

432BRS6W

Ind. P&S#432BRS6W



General Information

Extended Product Type	432BRS6W
Product ID	2CMA102257R1000
EAN	7392696022576
Catalog Description	Ind. P&S#432BRS6W
Long Description	5x32A / IP 67 - Wall Mount Socket Outlet (83x90) Clock Position Of Grounding Contact 6 hour Color code Red

Ordering

EAN	7392696022576
Country of Origin	Turkey (TR)
Minimum Order Quantity	5 piece

Dimensions

Product Net Width	94 mm
Product Net Height	108 mm
Product Net Length	143 mm
Product Net Depth / Length	143 mm
Product Net Weight	0.424 kg

Container Information

Package Level 1 Width	190 mm
Package Level 1 Depth / Length	265 mm
Package Level 1 Height	230 mm
Package Level 1 Gross Weight	2.461 kg
Package Level 1 EAN	7392696037334
Package Level 1 Units	box 5 piece

Technical UL/CSA

Ampere Rating UL/CSA	30 A
----------------------	------

Certificates and Declarations (Document Number)

Declaration of Conformity - CE	2CMC700005D0001
Declaration	2CMC700005D0001
Environmental Information	2CMC000072M0000
RoHS Information	2CMC700005D0001
REACH Declaration	2CMC700005D0001

Additional Information

Additional Information	3P+N+E
Cable Cross-Section	2.5 ... 6 mm ²
Color	Red
Connection Type	Screw Clamp
Degree of Protection	IP67
Frequency (f)	50 Hz 60 Hz
Function	Outlet
Housing Material	Plastic (PA)
Invoice Description	Ind. P&S#432BRS6W
Material	Plastic
Mounting Holes	75x49
Number of Poles	5
Order Multiple	5 piece
Product Main Type	BRS
Product Name	Wall mounted socket
Protection Type	Watertight
Rated Current (I _n)	32 A
Rated Voltage (U _r)	200/346 ... 240/415 V
Standards	IEC 60309-1, -2
Suitable for Product Class	IEC Industrial Plugs and Sockets
Instructions and Manuals	2CMC700014C0016
RAL Number	RAL 3002 - Carmine Red

Classifications

eClass	27440510
UNSPSC	39120000

Categories

Low Voltage Products and Systems → Industrial Plugs and Sockets → Basic & Safe

