

PRODUCT-DETAILS

# AT2e-R

## AT2e-R Electromechanical Time Switch



### General Information

Extended Product Type	AT2e-R
Product ID	2CSM231235R0601
EAN	8012542312352
Catalog Description	AT2e-R Electromechanical Time Switch
Long Description	AT2e-R Daily electro-mechanical time switch, with running reserve, 2 modules, 15 minutes minimum switching time

### Ordering

EAN	8012542312352
Minimum Order Quantity	1 piece
Customs Tariff Number	85364900
Replacement Product ID (NEW)	2CSM208151R1000

### Dimensions

Product Net Width	35 mm
Product Net Height	0.090 m
Product Net Depth / Length	60 mm
Product Net Weight	0.118 kg

---

## Container Information

---

Package Level 1 Units	1 piece
Package Level 1 Width	0.044 m
Package Level 1 Height	0.080 m
Package Level 1 Depth / Length	0.103 m
Package Level 1 Gross Weight	0.118 kg
Package Level 1 EAN	8012542312352

---



---

## Additional Information

---

Accuracy	1
Connecting Capacity	2.5 mm <sup>2</sup>
Degree of Protection	IP20
Mounting Type	DIN rail
Number of Channels	1
Options Provided	1 NO/NC
Power Loss	at Rated Operating Conditions per Pole 0.4 W
Product Main Type	AT
Product Name	Electromechanical Time Switch
Rated Operational Current AC-1 (I <sub>e</sub> )	16 A
Supply Voltage	230...230 V

---



---

## Certificates and Declarations (Document Number)

---

Data Sheet, Technical Information	9AKK106930A8017
Declaration of Conformity - CE	9AKK107045A3342
Instructions and Manuals	9AKK107045A4107

---



---

## Classifications

---

ETIM 5	EC002304 - Analogous time switch for distribution board
ETIM 6	EC002304 - Analogous time switch for distribution board
ETIM 7	EC002304 - Analogous time switch for distribution board
Object Classification Code	K
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)

---



---

## Categories

---

Low Voltage Products and Systems → Modular DIN Rail Products → Control and Automation devices → Analogue and Digital Time Switches

