

PRODUCT-DETAILS

E 9F10 GG2

E 9F10 GG2 Fuse link



General Information

| | |
|-----------------------|--|
| Extended Product Type | E 9F10 GG2 |
| Product ID | 2CSM258723R1801 |
| EAN | 8012542587231 |
| Catalog Description | E 9F10 GG2 Fuse link |
| Long Description | E 9F10 GG2 is a 10,3x38 mm cylindrical fuse for circuit protection |

Ordering

| | |
|------------------------|---------------|
| EAN | 8012542587231 |
| Minimum Order Quantity | 10 piece |
| Customs Tariff Number | 85361010 |

Dimensions

| | |
|----------------------------|----------|
| Product Net Width | 0.001 m |
| Product Net Height | 0.004 m |
| Product Net Depth / Length | 0.001 m |
| Product Net Weight | 0.007 kg |

Container Information

| | |
|-----------------------|----------|
| Package Level 1 Units | 10 piece |
|-----------------------|----------|

| | |
|--------------------------------|---------------|
| Package Level 1 Width | 0.052 m |
| Package Level 1 Height | 0.021 m |
| Package Level 1 Depth / Length | 0.038 m |
| Package Level 1 Gross Weight | 0.075 kg |
| Package Level 1 EAN | 8012542587231 |

Environmental

| | |
|-------------|-----------------------------------|
| RoHS Status | Following EU Directive 2011/65/EU |
|-------------|-----------------------------------|

Additional Information

| | |
|---------------------------------|---|
| Dimensions | 10,3x38 mm |
| Fuse Size | Cylindr. IEC 10,3x38 |
| Fuse Type | Cylindrical gG |
| Maximum Breaking Capacity | 120 kA |
| Power Loss | at Rated Operating Conditions per Pole 0.45 W |
| Product Main Type | E 9F |
| Product Name | Fuse link |
| Rated Current (I _n) | 2 A |
| Rated Voltage (U _r) | 500...500 V |
| Rated Operational Voltage | 500 V AC |
| Release Type | Other |
| RoHS Date | 27/01/2014 |
| Voltage Range | 500 V AC |

Certificates and Declarations (Document Number)

| | |
|-----------------------------------|----------------------|
| Data Sheet, Technical Information | 2CSC444002B0204 |
| Declaration of Conformity - CE | 2CSC444004D2701 |
| Environmental Information | See RoHS Information |
| Instructions and Manuals | Not applicable |
| RoHS Information | 2CSC444012K2701 |

Classifications

| | |
|----------------------------|--|
| ETIM 4 | EC002704 - Cylindrical fuse |
| ETIM 5 | EC002704 - Cylindrical fuse |
| ETIM 6 | EC002704 - Cylindrical fuse |
| ETIM 7 | EC002704 - Cylindrical fuse |
| Object Classification Code | F |
| WEEE Category | 5. Small Equipment (No External Dimension More Than 50 cm) |

Categories

Low Voltage Products and Systems → Modular DIN Rail Products → Protection and Safety devices → Cylindrical and DO Fuses

