

PRODUCT-DETAILS

ELR96

ELR96 - Residual Current Monitor



General Information

Extended Product Type	ELR96
Product ID	2CSG152130R1202
EAN	8012542734628
Catalog Description	ELR96 - Residual Current Monitor
Long Description	The ELR electronic residual current relay allows monitoring and protection of the low voltage distribution network, through the use of a toroidal transformer. Protection is achieved in combination with the MCBs and MCCBs. The ELR front panel residual current relay is compliant with protection standard 60947-2 Annex M in order to offer a cumulative operational time (residual current relay, shunt-trip, circuit breaker) guaranteed by the manufacturer.

Technical

Standards	IEC EN 60947-2 Ann M
Mounting Type	front panel
Rated Operational Voltage	115-230-400 V AC
Dimensions	96 mm x 96 mm
Power Loss	at Rated Operating Conditions per Pole 4 W

Environmental

RoHS Status	Following EU Directive 2011/65/EU
-------------	-----------------------------------

Dimensions

Product Net Width	96 mm
Product Net Height	0.096 m
Product Net Depth / Length	78 mm
Product Net Weight	0.209 kg

Container Information

Package Level 1 Units	1 piece
Package Level 1 Width	0.09 m
Package Level 1 Height	0.12 m
Package Level 1 Depth / Length	0.115 m
Package Level 1 Gross Weight	0.28 kg
Package Level 1 EAN	8012542734628

Ordering

Minimum Order Quantity	1 piece
Customs Tariff Number	85363030

Certificates and Declarations (Document Number)

Declaration of Conformity - CE	9AKK106713A5721
Instructions and Manuals	2CSG444009D5102

Popular Downloads

Data Sheet, Technical Information	9AKK107046A0424
Instructions and Manuals	2CSG444009D5102

Classifications

Object Classification Code	Q
ETIM 4	EC001445 - Residual current monitoring relay
ETIM 5	EC001445 - Residual current monitoring relay
ETIM 6	EC001445 - Residual current monitoring relay
ETIM 7	EC001445 - Residual current monitoring relay

Categories

Low Voltage Products and Systems → Modular DIN Rail Products → Residual Current Devices RCDs → Residual Current Monitors, RCMs

