

PRODUCT-DETAILS

FA2C/MS 800 4p FHR

FA2C/MS 800 4p FHR



General Information

| | |
|-----------------------|--|
| Extended Product Type | FA2C/MS 800 4p FHR |
| Product ID | 1SDA080459R1 |
| EAN | 8015644869878 |
| Catalog Description | FA2C/MS 800 4p FHR |
| Long Description | C.BREAKER SWITCH-DISCONNECTOR FORMULA AIR FA2C/MS 800 FIXED FOUR-POLE WITH TERMINALS REAR HORIZONTAL |

Ordering

| | |
|------------------------|---------------|
| EAN | 8015644869878 |
| Minimum Order Quantity | 1 piece |
| Customs Tariff Number | 85362090 |

Dimensions

| | |
|----------------------------|--------|
| Product Net Width | 366 mm |
| Product Net Height | 371 mm |
| Product Net Depth / Length | 270 mm |
| Product Net Weight | 45 kg |

Container Information

| | |
|--------------------------------|---------------|
| Package Level 1 Units | 1 piece |
| Package Level 1 Width | 515 mm |
| Package Level 1 Height | 610 mm |
| Package Level 1 Depth / Length | 420 mm |
| Package Level 1 Gross Weight | 58 kg |
| Package Level 1 EAN | 8015644869878 |

Additional Information

| | |
|---|--|
| Current Type | AC |
| Electrical Durability | 30 cycles per hour |
| Mechanical Durability | 60 cycles per hour |
| Neutral Pole Current ([% I _n]) | 100 % |
| Number of Poles | 4 |
| Product Main Type | Formula Air |
| Product Name | Switch-disconnector |
| Product Type | Switch-disconnector |
| Rated Current (I _n) | 800 A |
| Rated Voltage (U _r) | 690 V |
| Rated Impulse Withstand Voltage (U _{imp}) | 12 kV |
| Rated Insulation Voltage (U _i) | AC 1000 V |
| Rated Operational Voltage | 690 V AC |
| Rated Short-time Withstand Current (I _{cw}) | for 1 s 42 kA for 3 s 25 kA |
| Rated Uninterrupted Current (I _u) | 800 A |
| Standards | IEC |
| Sub-type | FA2 |
| Terminal Connection Type | Fixed Circuit-Breakers Rear flat Horizontal |
| Version | F |

Certificates and Declarations (Document Number)

| | |
|-----------------------------------|-----------------|
| Data Sheet, Technical Information | 1SDC200044D0201 |
| Declaration of Conformity - CE | 9AAK10103A1376 |
| Environmental Information | Not Available |
| Instructions and Manuals | 1SDH001600R0002 |

Classifications

| | |
|----------------------------|--|
| ETIM 6 | EC000216 - Switch disconnector |
| ETIM 7 | EC000216 - Switch disconnector |
| Object Classification Code | Q |
| WEEE Category | 5. Small Equipment (No External Dimension More Than 50 cm) |

Categories

Low Voltage Products and Systems → Circuit Breakers → Air Circuit Breakers → Formula AIR

