

PRODUCT-DETAILS

## S2C-CM1

## S2C-CM1 - Motor operating device



General Information	
Extended Product Type	S2C-CM1
Product ID	2CSS201997R0013
EAN	8012542026259
Catalog Description	S2C-CM1 - Motor operating device
Long Description	The S2C-CM1 motor operating device has the function to allow the remote control (opening or closing) of the MCB it is associated to. It can assembled to 1 pole MCBs (up to 63A) of S200 range.

2102490
8012542026259
1 piece
85389099

Dimensions	
Product Net Width	36 mm
Product Net Height	0.089 m
Product Net Depth / Length	0.081 m
Product Net Weight	0.168 kg

Container Information	
Package Level 1 Units	1 piece
Package Level 1 Width	0.091 m
Package Level 1 Height	0.09 m
Package Level 1 Depth / Length	0.092 m
Package Level 1 Gross Weight	0.24 kg
Package Level 1 EAN	8012542026259

## **Environmental**

RoHS Status	Following EU Directive 2011/65/EU
-------------	-----------------------------------

Additional Information	
Power Loss	at Rated Operating Conditions per Pole 1.5 W
Product Main Type	S2C-CM
Product Name	Motor operating device
Rated Voltage (U <sub>r</sub> )	12 V
Suitable For	S200
Suitable for Product Class	Miniature Circuit Breakers MCBs

Certificates and Declarations (Document Number)	
Data Sheet, Technical Information	9AKK107046A5456
Declaration of Conformity - CE	9AKK106713A5575
Environmental Information	Refer to RoHS
Instructions and Manuals	9AKK106930A7741
RoHS Information	Refer to Declaration of Conformity CE

Classifications	
ETIM 4	EC000042 - Miniature circuit breaker (MCB)
ETIM 5	EC000042 - Miniature circuit breaker (MCB)
ETIM 6	EC001286 - Auxiliary contact unit for distribution board
ETIM 7	EC001286 - Auxiliary device for distribution board devices
Object Classification Code	Q
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)

## Categories

S2C-CM1 3

