

PRODUCT-DETAILS

S2C-H6R

S2C-H6R - Auxiliary Contact



General Information

| | |
|-----------------------|--|
| Extended Product Type | S2C-H6R |
| Product ID | 2CDS200912R0001 |
| EAN | 4016779563826 |
| Catalog Description | S2C-H6R - Auxiliary Contact |
| Long Description | Indication of the position of the device's contacts. Suitable for MCBs S 200 series, SN 201 series, RCCBs F 200 series, RCBOs DS201, DS202C, DS 200 series. To be mounted on the right side of the MCBs. |

Ordering

| | |
|------------------------|---------------|
| E-Number (Sweden) | 2102500 |
| EAN | 4016779563826 |
| Minimum Order Quantity | 1 piece |
| Customs Tariff Number | 85365080 |

Dimensions

| | |
|----------------------------|--------|
| Product Net Width | 8.8 mm |
| Product Net Height | 85 mm |
| Product Net Depth / Length | 69 mm |

| | |
|--------------------|----------|
| Product Net Weight | 0.043 kg |
|--------------------|----------|

Container Information

| | |
|--------------------------------|---------------|
| Package Level 1 Units | 1 piece |
| Package Level 1 Width | 20 mm |
| Package Level 1 Height | 115 mm |
| Package Level 1 Depth / Length | 104 mm |
| Package Level 1 Gross Weight | 0.045 kg |
| Package Level 1 EAN | 4016779563826 |
| Package Level 2 Units | 60 piece |
| Package Level 2 Width | 275 mm |
| Package Level 2 Height | 210 mm |
| Package Level 2 Depth / Length | 395 mm |
| Package Level 2 Gross Weight | 3.4 kg |
| Package Level 2 EAN | 4016779946193 |

Environmental

| | |
|-------------|---|
| RoHS Status | Following EU Directive 2002/95/EC August 18, 2005 and amendment |
|-------------|---|

Additional Information

| | |
|----------------------------|---|
| Accessory Type | Auxiliary Contact |
| Function | Auxiliary Contact |
| Power Loss | 0,5 W |
| Product Main Type | S2C |
| Product Name | Auxiliary Contact |
| RoHS Date | 0335 |
| Standards | CSA Class 3215-30 CSA Class 3215-90 GB14048.5 IEC/EN 60947-5-1 UL 1077 |
| Suitable For | S200 S200M S200P S200S SN201L SN201 SN201M F200 DS201 DS202C DS200 S-ARC1 DS-ARC1 |
| Suitable for Product Class | Miniature Circuit Breaker Residual Current Device |
| Technical Information | AUXILIARYCONTACT |

Certificates and Declarations (Document Number)

| | |
|-----------------------------------|-----------------|
| Data Sheet, Technical Information | 9AKK106930A8017 |
| Declaration of Conformity - CE | 2CDK400628D2701 |
| Environmental Information | 2CDK400571D0201 |
| Instructions and Manuals | GHS2007074P0006 |
| RoHS Information | 2CDK440032D0203 |

Classifications

| | |
|---------------|--|
| ETIM 4 | EC001286 - Auxiliary contact unit for distribution board |
| ETIM 5 | EC001286 - Auxiliary contact unit for distribution board |
| ETIM 6 | EC001286 - Auxiliary contact unit for distribution board |
| ETIM 7 | EC001286 - Auxiliary device for distribution board devices |
| UNSPSC | 39121614 |
| WEEE Category | 5. Small Equipment (No External Dimension More Than 50 cm) |
| eClass | 7.0 27143502 |

Where Used (as a spare part for "Products")

| Identifier | Description | Quantity | Unit Of Measure |
|--------------|--------------------------|----------|-----------------|
| 9AAC30403877 | No Description Available | 1 | piece |
| 9AAC30404896 | No Description Available | 1 | piece |

Product specific part data

| Product | Category | Switchgear Part Category |
|--------------|-------------|--------------------------|
| 9AAC30403877 | SafeRing 36 | Auxiliary Contacts |
| 9AAC30404896 | SafePlus 36 | Auxiliary Contacts |

Categories

Low Voltage Products and Systems → Modular DIN Rail Products → Miniature Circuit Breakers MCBs Accessories → Auxiliary / Signal Contacts

Medium Voltage Products and Systems → Switchgear and Motor Control → Secondary Switchgear → Gas Insulated Ring Main Units → SafeRing 36

Medium Voltage Products and Systems → Switchgear and Motor Control → Secondary Switchgear → Gas Insulated Secondary Switchgear → SafePlus 36

